Federal Communications Commission Washington, D. C. 20554 Approved by OMB 3060-0627 Expires 01/31/98

FOR FCC	APR 2 0 2010
USE	Office of the Secretary Office

FCC 302-AM APPLICATION FOR AM BROADCAST STATION LICENSE

(Please read instructions before filling out form.

FOR COMMISSION USE ONLY	BMML-2009112 YAJE
FILE NO.	

SECTION I - APPLICANT FEE INFORMATION		
PAYOR NAME (Last, First, Middle Initial)		25
EL SOL BROADCASTING, LLC		3
MAILING ADDRESS (Line 1) (Maximum 35 characters) 1530 NORTH CASS STREET, SUITE A		3
MAILING ADDRESS (Line 2) (Maximum 35 characters)		
(maximum ee statester)		Em 2
CITY MILWAUKEE	STATE OR COUNTRY (if fo	oreign address) ZIP CODE 53202
TELEPHONE NUMBER (include area code) 414-899-9902	CALL LETTERS WJTI	OTHER FCC IDENTIFIER (If applicable) 68759
2. A. Is a fee submitted with this application?		Yes 🗸 No
B. If No, indicate reason for fee exemption (see 47 C.F.R. Section		
Governmental Entity Noncommercial educ	cational licensee	other (Please explain):
C. If Yes, provide the following information:		Amendment to:
C. II Tes, provide the following information:		BL-20091124AJE
Enter in Column (A) the correct Fee Type Code for the service you	are applying for. Fee Type C	odes may be found in the "Mass Media Services
Fee Filing Guide." Column (B) lists the Fee Multiple applicable for thi	is application. Enter fee amou	ınt due in Colu <mark>mn (C)</mark> .
(A) (B)		
(A) (B)	(C) FEE DUE FOR FE	F
FEE TYPE FEE MULTIPLE	TYPE CODE IN COLUMN (A)	FOR FCC USE ONLY
0 0 0 1	\$	
To be used only when you are requesting concurrent actions which re-	sult in a requirement to list mo	re than one Fee Type Code.
(A) (B)	(C)	FOR 500 HOT ONLY
	\$	FOR FCC USE ONLY
ADD ALL AMOUNTS SHOWN IN COLUMN C, AND ENTER THE TOTAL HERE.	TOTAL AMOUNT REMITTED WITH TH APPLICATION	FOR FCC USE ONLY
THIS AMOUNT SHOULD EQUAL YOUR ENCLOSED	\$	· v
REMITTANCE.	,	

FCC 302-AM August 1995



SECTION II - APPLICAN	TINFORMA. I				
NAME OF APPLICANT EL SOL BROADCASTING, L	LLC				
MAILING ADDRESS 1530 NORTH CASS STREE	ET, SUITE A				
CITY		STATE WI		ZIP CODE 53202	
2. This application is for:	Commercial AM Dire	☐ Noncomn	nercial Ion-Directional		
Call letters	Community of License	Construction Permit File No.	Modification of Construction Permit File No(s).	Expiration Date of Last Construction Permit	
WJTI	WEST ALLIS	BP-20060728ACH	BMP-20081119AHW	11-22-09	
Is the station no accordance with 47 C.F. If No, explain in an Exhi	.R. Section 73.1620?	to automatic program	test authority in	Yes ✓ No. Exhibit No. A	0
construction permit been	n fully met?	gations set forth in the	above described	Yes No	0
If No, state exceptions in	n an Exhibit.				
5. Apart from the changes already reported, has any cause or circumstance arisen since the grant of the underlying construction permit which would result in any statement or representation contained in the construction permit application to be now incorrect? Exhibit No. ▼es ✓ ▼es ✓ ▼exhibit No.					
If Yes, explain in an Ex	3 112014.				
	led its Ownership Report ice with 47 C.F.R. Section	t (FCC Form 323) or own n 73.3615(b)?	ership	✓ Yes N	0
CO, IIII CALLOTT III CALLOTT CALL				Does not app	ly
If No, explain in an Exhi	ibit.			Exhibit No.	
7. Has an adverse find or administrative body v	ication in a civil or	Yes 🗸 N	lo		
criminal proceeding, bro felony; mass media re another governmental u	elated antitrust or unfa	ns of any law relating to air competition; fraudule	the following: any ent statements to		
involved, including an ic (by dates and file num information has been required by 47 U.S.C. S of that previous submis the call letters of the si	dentification of the court abers), and the disposition earlier disclosed in consection 1.65(c), the application by reference to the tation regarding which the	or administrative body a construction with another cant need only provide: a file number in the case the application or Section of the previously residual control of the previously residual c	nd the proceeding here the requisite application or as (i) an identification of an application, and 1.65 information	Exhibit No. N/A	

8. Does the applicant, or any party to the application, have the expanded band (1605-1705 kHz) or a permit or license expanded band that is held in combination (pursuant to the 5 with the AM facility proposed to be modified herein?	either in the existing band	or
If Yes, provide particulars as an Exhibit.		Exhibit No.
The APPLICANT hereby waives any claim to the use of any against the regulatory power of the United States because requests and authorization in accordance with this application amended).	e use of the same, wheti	her by license or otherwise, and
The APPLICANT acknowledges that all the statements material representations and that all the exhibits are a material	de in this application and al part hereof and are incor	attached exhibits are considered rporated herein as set out in full in
CERTIFI	CATION	
 By checking Yes, the applicant certifies, that, in the case or she is not subject to a denial of federal benefits that include to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U. case of a non-individual applicant (e.g., corporation, partner association), no party to the application is subject to a deincludes FCC benefits pursuant to that section. For the depurposes, see 47 C.F.R. Section 1.2002(b). I certify that the statements in this application are true, coand are made in good faith. 	udes FCC benefits pursua S.C. Section 862, or, in the ship or other unincorporate enial of federal benefits the finition of a "party" for thes	nt ne ed at se
Name	Signature	
John M. Torres	> Km	lan
_{Title} Owner/Manager	Date () () () () () () () () () () () () ()	Telephone Number 414-899-9902
WILLFUL FALSE STATEMENTS ON THIS FORM AR (U.S. CODE, TITLE 18, SECTION 1001), AND/OR		

CONSTRUCTION

FCC NOTICE TO INDIVIDUALS REQUIRED BY THE PRIVACY ACT AND THE PAPERWORK REDUCTION ACT

The solicitation of personal information requested in this application is authorized by the Communications Act of 1934, as amended. The Commission will use the information provided in this form to determine whether grant of the application is in the public interest. In reaching that determination, or for law enforcement purposes, it may become necessary to refer personal information contained in this form to another government agency. In addition, all information provided in this form will be available for public inspection. If information requested on the form is not provided, the application may be returned without action having been taken upon it or its processing may be delayed while a request is made to provide the missing information. Your response is required to obtain the requested authorization.

Public reporting burden for this collection of information is estimated to average 639 hours and 53 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, can be sent to the Federal Communications Commission, Records Management Branch, Paperwork Reduction Project (3060-0627), Washington, D. C. 20554. Do NOT send completed forms to this address.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 31, 1974, 5 U.S.C. 552a(e)(3), AND THE PAPERWORK REDUCTION ACT OF 1980, P.L. 96-511, DECEMBER 11, 1980, 44 U.S.C. 3507.

Voc V No

	CENSE APPLICATION ENGINEE	RING DATA	······································	The state of the s	***************************************	•
Name of Applicar						
El Sol Broa	adcasting, LLC					
PURPOSE OF A	UTHORIZATION APPLIED FOR:	(check one)				
<u>***</u> S	station License	Direct Mea	surement of Pow	/er		
	orized in construction permit			***************************************		***************************************
Call Sign	File No. of Construction Permit	Frequency	Hours of Oper	ation		kilowatts
WJTI	(if applicable) BMP-20081119AHW	(kHz) 1460	U		Night 0.24	Day 1.0
2. Station location	n					
State			City or Town			
Wisconsin			West Al	lis		
3. Transmitter lo	cation				The state of the s	
State	County		City or Town		Street address	
Wisconsin	Milwaukee		West All	lis	(or other identifica 1935 S. 98t)	ition) h Street
4. Main studio lo	**************************************	<i>*************************************</i>				
State	County		City or Town		Street address	
Wisconsin	Milwaukee		Milwauk	ee	(or other identifica 611 W. Nat	ional Ave.
	ol point location (specify only if at	ithorized direction	al antenna)		Suite 201	
State County Cit			City or Town	City or Town Street address (or other identification) 611 W. National		
6. Has type-approved stereo generating equipment been installed? 7. Does the sampling system meet the requirements of 47 C.F.R. Section 73.68? No No Not Applicable Attach as an Exhibit a detailed description of the sampling system as installed. Exhibit No.						No No Applicable
8. Operating cons						
modulation for nigh	or antenna current (in amperes) nt system 2.28	without	RF common pomodulation for	oint or antenna day system 4.65	current (in ampere	s) without
Measured antenna operating frequenc Night	or common point resistance (in y Day	ohms) at		Measured antenna or common point reactance (in ohms) operating frequency Night Day		
50.0	-	0	-J8	5.8	<i></i>	-J13
Antenna indications	s for directional operation	***************************************				
Antenna monitor Towers Phase reading(s) in degrees		Antenna monitor sample current ratio(s)		Antenna base currents		
#1	Night 128,2	Day	Night 0.82	Day 0.614	Night	Day
#2	120.2	$\frac{1.3}{122.6}$	1.0	1.002		
#3	-114.4		0.624	****		
#4	100.8	yes and after	0.422	Test delt dels		
#5	300, and 100.	-128.7	100, 700, 100	0.67		
#6	****	0	NF 54 W	1.0		
ivianutacturer and ty	ype of antenna monitor:	omac AM-19 (204)			

SECTION III - Page 2

9.	Description of antenna system (If directional antenna is used, the information requested below should be given for each element of the
arr	ay. Use separate sheets if necessary.)

Type Radiator (6) Uniform cross section guyed	Overall height in meters of radiator above base insulator, or above base, if grounded.	Overall height above ground obstruction lig	(without	Overall height in meters above ground (include obstruction lighting)	If antenna is either top loaded or sectionalized, describe fully in an Exhibit.
steel towers	48.1	49		49	LAMBR NO.
Excitation	∑ Series	Shunt			
Geographic coordinates tower location.	to nearest second. For direct	tional antenna g	live coordinate	es of center of array. For si	ngle vertical radiator give
North Latitude 43	00	32 "	West Longitu	de 88 ° 02	2 ' 06 "
antenna mounted on tow	ove, attach as an Exhibit furtl er and associated isolation ci	rcuits.			Exhibit No.
Also, if necessary for a co- of ground system.	mplete description, attach as a	an Exhibit a sket	ch of the detail	s and dimensions	Exhibit No.
10. In what respect, if ar permit?	y, does the apparatus constr	ructed differ fron	n that describe	ed in the application for cor	nstruction permit or in the
None					
11. Give reasons for the	change in antenna or commo	n point resistan	ce.		
I certify that I represent information and that it is t	the applicant in the capacity rue to the best of my knowled	indicated belowing and belief.	w and that I h	ave examined the foregoir	ng statement of technical
Name (Please Print or Typ	pe)	s	gnature (chec	k appropriate box below)	
R. Stuart Graham					
Address (include ZIP Code	9)	D	ate		
			April 6, 20	010	
Graham Brock, Inc P. O. Box 24466).	Te		Include Area Code)	
St. Simons Island,	GA 31522-7466			•	
or omono mana,	GA 31322-7400		912-638-8	5028	
Technical Director			Registered	Professional Engineer	
Chief Operator		Ž	Technical C	onsultant	
Other (specify)					

FCC 302-AM (Page 5) August 1995

This Technical Statement was prepared on behalf of El Sol Broadcasting, LLC ("El Sol"), licensee of radio station WJTI, 1460 kHz, Racine, Wisconsin. El Sol holds an outstanding permit to change city of license to West Allis, Wisconsin and operate from an existing directional antenna site with separate daytime and nighttime directional arrays (BMP-20081119AHW). El Sol has submitted an application for station license to cover the outstanding permit (BL-20091124AJE), including a moment method proof of performance.

It has come to our attention that some of the descriptions used to identify the measurements in the proof are unclear. This amendment to the pending application attempts to clarify the identification of the measurements in Exhibits #1 and #8 of the original application. Only these two exhibits are being submitted with this instant amendment, as well as a slight adjustment in the phase readings and current ratios in Question 8, Section III of Form 302-AM. All of other exhibits originally submitted remain accurate and are not being resubmitted.

EXHIBIT #1

Analysis of Tower Impedance Measurements to Verify Method of Moments Model

Tower base impedance measurements were made at the final J-plugs within the Antenna Tuning Units ("ATUs") using an Array Solutions, POWER AIM 120, Vector Impedance Analyzer in a calibrated measurement system. The other towers were all open circuited at the same points where impedance measurements were made (the "reference points") for each of the measurements, in compliance with Section73.151(c)(1).

The reference point in each ATU is followed by the feed-line that exits the ATU enclosure and is connected to the tower above the base insulator. Circuit calculations were performed to relate the Method of Moments modeled impedances of the tower feed points to the ATU output measurement (reference) points, as shown on the following pages. The X(L) shown for each tower, which was calculated for the assumed stray inductance, was less than 10 uH, in compliance with Section 73.151(c)(1)(vii).

The modeled and measured base impedances at the ATU output jacks with the other towers open circuited at their ATU output jacks agree within +/- 2 ohms and +/- 4 percent for resistance, as required by Section 73.151(c)(2) of the FCC Rules.

EXHIBIT #1A

WJTI

1460

West Allis

WI

Moment Calculation	FCC Array	FCC Array	Antenna Monitor														
Tower	Tower	Tower	Tower	L(uH)	X(L)	Z(tow	er)(modele	d)	Z(towe	r)(measi	ured)	Z(atu)	(mode	led)	Z(atu)	(meas	ured)
1 (ne)	1		6	3.19	+j 29.2	38.0	+j 23.	8	38.0	+j 2	3.8	38.0	+j	53.0	38.0		53.0
2 (se)	2		5	3.04	+j 27.9	40.6	+j 24.	8	40.7	+j 2	4.8	40.6	+j	52.7	40.7	+ <u>j</u>	52.7
3 (center sw)	3	2	2	5.45	+j 50.0	33.1	+j 1.6		33.2	+j 1	.6	33.1	+j	51.6	33.2	+j	51.6
4 (sw)	4	1	1	0.25	+j 2.3	48.4	+j 49.	9	51.3	+j 4	9.9	48.4	+j	52.2	51.3	+j	52.2
5 (center nw)		3	3	0.15	+j 1.4	45.4	+j 46.	0	46.8	+j 4	6.0	45.4	+j	47.4	46.8	+j	47.4
6 (nw)		4	4	1.90	+j 17.5	45.7	+j 36.:	3	45.6	+j 3	6.3	45.7	+j	53.8	45.6	+j	53.8

X(L) = Assumed Series Inductance per §73.151, c, 1, vii

EXHIBIT #8

Sampling System Measurements

Impedance measurements of the antenna monitor sampling system were made using an Array Solutions, POWER AIM 120, Vector Impedance Analyzer in a calibrated measurement system. The measurements were made looking into the antenna monitor ends of the sampling lines without the sampling lines connected to the toroid samples under open-circuited conditions.

The following table shows the measured line length and impedance of each sample line in the system. The sampling line lengths were found to be between 166.70 and 167.14 electrical degrees, within the 1.0 degree variance as specified by Section 73.151(c)(2)(i).

In order to determine the characteristic impedance values of the sampling lines, open-circuit measurements were made with frequencies offset to produce +/- 45 degrees of electrical length from resonance. The characteristic impedance was calculated using the following formula where $R_1 + jX_1$ and $R_2 + jX_2$ are the measured impedances at the +45 and -45 degree offset frequencies, respectively:

$$Z0 = ((R_1^2 + X_1^2)^{1/2} * (R_2^2 + X_2^2)^{1/2})^{1/2}$$

Toroid Current Transformer calibration was checked by placing all transformers in line with the output of the 1460 kHz transmitter into a dummy load. The transformers were connected to the station antenna monitor with short equal length transmission line jumpers. The relative ratio and phase of all transformers was found to be identical. The current transformers were returned to their respective towers.

The impedance of the sample lines and toroid transformers together was measured and are tabulated below.

WJTI

1460 West Allis

MI

Tower Sample Line	Sample Line	Calculated Electrical Length at 1460 kHz (degrees)	Characteristic Impedance
1 (ne)	Andrew FSJ4-50B	166.86	51.20
2 (se)	Andrew FSJ4-50B	166.70	51.70
3 (center sw)	Andrew FSJ4-50B	166.78	51.70
4 (sw)	Andrew FSJ4-50B	166.86	51.60
5 (center nw)	Andrew FSJ4-50B	167.14	51.10
6 (nw)	Andrew FSJ4-50B	166.74	51.40

Longest Line Minus Shortest Line - 0.44° difference @ 1460 kHz

Impedance +/- 0.3 Ohms

Sample Line and Torid Transformer Measured Impedance @ 1460 kHz

Tower Sample System	Toroid Sample Transformer	Resistance (ohms)	Reactance (ohms)
1 (ne)	Phasetek P600-203 10.va	48.90	1.70
2 (se)	Phasetek P600-203 10.va	49.20	1.20
3 (center sw)	Phasetek P600-203 10.va	49.30	1.50
4 (sw)	Phasetek P600-203 10.va	49.20	1.30
5 (center nw)	Phasetek P600-203 10.va	48.90	2.00
6 (nw)	Phasetek P600-203 10.va	49.00	1.80

AFFIDAVIT AND QUALIFICATIONS OF CONSULTANT

State of Georgia)
St. Simons Island) 55
County of Glynn)

R. Stuart Graham, being duly sworn, deposes and says that he is an officer of Graham Brock, Inc. Graham Brock has been engaged by El Sol Broadcasting, LLC, to prepare the attached Technical Exhibit.

His qualifications are a matter of record before the Federal Communications Commission. He has been active in Broadcast Engineering since 1979.

The attached report was either prepared by him or under his direction and all material and exhibits attached hereto are believed to be true and correct.

This the 6th day of April 2010.

R. Stuart Graham

Affiant

Sworn to and subscribed before me this the 6th day of April 2010

My Commission Expires: March 18, 2011